

$N(1535) \ 1/2^-$  $I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$  Status: \*\*\*\*Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(1535)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1500 to 1520 (<math>\approx</math> 1510) OUR ESTIMATE</b>			
1496 $\pm$ 4	AFZAL	20	DPWA Multichannel
1500 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel
1509 $\pm$ 4 $\pm$ 2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1510 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1496	HUNT	19	DPWA Multichannel
1499	ROENCHEN	15A	DPWA Multichannel
1490	SHKLYAR	13	DPWA Multichannel
1501 $\pm$ 4	ANISOVICH	12A	DPWA Multichannel
1521 $\pm$ 14	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1502	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1525	VRANA	00	DPWA Multichannel
1487	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.**-2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>110 to 150 (<math>\approx</math> 130) OUR ESTIMATE</b>			
125 $\pm$ 6	AFZAL	20	DPWA Multichannel
128 $\pm$ 9	SOKHOYAN	15A	DPWA Multichannel
118 $\pm$ 9 $\pm$ 2	<sup>2</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
260 $\pm$ 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
119	HUNT	19	DPWA Multichannel
104	ROENCHEN	15A	DPWA Multichannel
100	SHKLYAR	13	DPWA Multichannel
134 $\pm$ 11	ANISOVICH	12A	DPWA Multichannel
190 $\pm$ 28	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
95	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
102	VRANA	00	DPWA Multichannel

<sup>2</sup> Fit to the amplitudes of HOEHLER 79. **$N(1535)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>15 to 35 (<math>\approx</math> 25) OUR ESTIMATE</b>			
29 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel
22 $\pm$ 2 $\pm$ 0.4	<sup>3</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
120 $\pm$ 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

22	ROENCHEN	15A	DPWA	Multichannel
15	SHKLYAR	13	DPWA	Multichannel
$31 \pm 4$	ANISOVICH	12A	DPWA	Multichannel
68	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
16	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$

<sup>3</sup>Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

<u>VALUE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>–30 to 0 (<math>\approx -15</math>) OUR ESTIMATE</b>			
$-20 \pm 10$	SOKHOYAN	15A	DPWA Multichannel
$-5 \pm 5 \pm 3$	<sup>4</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
$+15 \pm 45$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

–46	ROENCHEN	15A	DPWA	Multichannel
–51	SHKLYAR	13	DPWA	Multichannel
$-29 \pm 5$	ANISOVICH	12A	DPWA	Multichannel
12	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
–16	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$

<sup>4</sup>Fit to the amplitudes of HOEHLER 79.

---

## **$N(1535)$ INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### **Normalized residue in $N\pi \rightarrow N(1535) \rightarrow N\eta$**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.43 \pm 0.03$	$-76 \pm 5$	ANISOVICH	12A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.51	112	ROENCHEN	15A	DPWA Multichannel
------	-----	----------	-----	-------------------

### **Normalized residue in $N\pi \rightarrow N(1535) \rightarrow \Lambda K$**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05	32	ROENCHEN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

### **Normalized residue in $N\pi \rightarrow N(1535) \rightarrow \Sigma K$**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05	–69	ROENCHEN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

### **Normalized residue in $N\pi \rightarrow N(1535) \rightarrow \Delta\pi, D$ -wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.11 \pm 0.02$	$160 \pm 20$	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.12 \pm 0.03$	$145 \pm 17$	ANISOVICH	12A	DPWA Multichannel
-----------------	--------------	-----------	-----	-------------------

**Normalized residue in  $N\pi \rightarrow N(1535) \rightarrow N\sigma$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.16 $\pm$ 0.07	25 $\pm$ 40	SOKHOYAN	15A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(1535) \rightarrow N(1440)\pi$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.21 $\pm$ 0.14	-45 $\pm$ 50	SOKHOYAN	15A DPWA	Multichannel

 **$N(1535)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

**1515 to 1545 ( $\approx$  1530) OUR ESTIMATE**

1525 $\pm$ 2	<sup>5</sup> HUNT	19	DPWA	Multichannel
1528 $\pm$ 6	KASHEVAROV	17	DPWA	$\gamma p \rightarrow \eta p, \eta' p$
1517 $\pm$ 4	SOKHOYAN	15A	DPWA	Multichannel
1526 $\pm$ 2	<sup>5</sup> SHKLYAR	13	DPWA	Multichannel
1547.0 $\pm$ 0.7	<sup>5</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1550 $\pm$ 40	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
1526 $\pm$ 7	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1519 $\pm$ 5	ANISOVICH	12A	DPWA	Multichannel
1538 $\pm$ 1	<sup>5</sup> SHRESTHA	12A	DPWA	Multichannel
1553 $\pm$ 8	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1546.7 $\pm$ 2.2	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
1526 $\pm$ 2	PENNER	02C	DPWA	Multichannel
1530 $\pm$ 10	BAI	01B	BES	$J/\psi \rightarrow p\bar{p}\eta$
1522 $\pm$ 11	THOMPSON	01	CLAS	$\gamma^* p \rightarrow p\eta$
1542 $\pm$ 3	VRANA	00	DPWA	Multichannel
1532 $\pm$ 5	ARMSTRONG	99B	DPWA	$\gamma^* p \rightarrow p\eta$

<sup>5</sup>Statistical error only.

 **$N(1535)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

**125 to 175 ( $\approx$  150) OUR ESTIMATE**

147 $\pm$ 5	<sup>6</sup> HUNT	19	DPWA	Multichannel
163 $\pm$ 25	KASHEVAROV	17	DPWA	$\gamma p \rightarrow \eta p, \eta' p$
120 $\pm$ 10	SOKHOYAN	15A	DPWA	Multichannel
131 $\pm$ 12	<sup>6</sup> SHKLYAR	13	DPWA	Multichannel
188.4 $\pm$ 3.8	<sup>6</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
240 $\pm$ 80	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
120 $\pm$ 20	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

128 $\pm$ 14	ANISOVICH	12A	DPWA	Multichannel
141 $\pm$ 4	<sup>6</sup> SHRESTHA	12A	DPWA	Multichannel
182 $\pm$ 25	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
129 $\pm$ 8	PENNER	02C	DPWA	Multichannel
95 $\pm$ 25	BAI	01B	BES	$J/\psi \rightarrow p\bar{p}\eta$
143 $\pm$ 18	THOMPSON	01	CLAS	$\gamma^* p \rightarrow p\eta$

112 ± 19 VRANA 00 DPWA Multichannel  
 154 ± 20 ARMSTRONG 99B DPWA  $\gamma^* p \rightarrow p\eta$

<sup>6</sup>Statistical error only.

## N(1535) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	32–52 %
$\Gamma_2$ $N\eta$	30–55 %
$\Gamma_3$ $N\pi\pi$	4–31 %
$\Gamma_4$ $\Delta(1232)\pi$ , $D$ -wave	1–4 %
$\Gamma_5$ $N\rho$	2–17 %
$\Gamma_6$ $N\rho$ , $S=1/2$ , $S$ -wave	2–16 %
$\Gamma_7$ $N\rho$ , $S=3/2$ , $D$ -wave	<1 %
$\Gamma_8$ $N\sigma$	2–10 %
$\Gamma_9$ $N(1440)\pi$	5–12 %
$\Gamma_{10}$ $p\gamma$ , helicity=1/2	0.15–0.30 %
$\Gamma_{11}$ $n\gamma$ , helicity=1/2	0.01–0.25 %

## N(1535) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$					$\Gamma_1/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>32–52 % OUR ESTIMATE</b>					
42 ± 2	<sup>7</sup> HUNT	19	DPWA	Multichannel	
52 ± 5	SOKHOYAN	15A	DPWA	Multichannel	
35 ± 3	<sup>7</sup> SHKLYAR	13	DPWA	Multichannel	
35.5 ± 0.2	<sup>7</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
50 ± 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
38 ± 4	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
54 ± 5	ANISOVICH	12A	DPWA	Multichannel	
37 ± 1	<sup>7</sup> SHRESTHA	12A	DPWA	Multichannel	
46 ± 7	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
36 ± 1	PENNER	02C	DPWA	Multichannel	
35 ± 8	VRANA	00	DPWA	Multichannel	

<sup>7</sup>Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$					$\Gamma_2/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>30–55 % OUR ESTIMATE</b>					
41 ± 4	MUELLER	20	DPWA	Multichannel	
43 ± 3	<sup>8</sup> HUNT	19	DPWA	Multichannel	
41 ± 4	<sup>9</sup> KASHEVAROV	17	DPWA	$\gamma p \rightarrow \eta p, \eta' p$	
58 ± 4	<sup>8</sup> SHKLYAR	13	DPWA	Multichannel	

33±5	ANISOVICH	12A	DPWA	Multichannel
53±1	PENNER	02C	DPWA	Multichannel
51±5	VRANA	00	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
41±2	<sup>8</sup> SHRESTHA	12A	DPWA	Multichannel
50±7	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$

<sup>8</sup>Statistical error only.

<sup>9</sup>Assuming  $A_{1/2} = 0.115 \text{ GeV}^{-1/2}$ .

### $\Gamma(N\eta)/\Gamma(N\pi)$

$\Gamma_2/\Gamma_1$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.95±0.03	AZNAURYAN	09	CLAS $\pi, \eta$ electroproduction

### $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_4/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1-4 % OUR ESTIMATE</b>			
3 ±1	ADAMCZEW...	20	DPWA Multichannel
<1.1	<sup>10</sup> HUNT	19	DPWA Multichannel
2.5±1.5	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2.5±1.5	ANISOVICH	12A	DPWA Multichannel
1.8±0.8	<sup>10</sup> SHRESTHA	12A	DPWA Multichannel
1 ±1	VRANA	00	DPWA Multichannel

<sup>10</sup>Statistical error only.

### $\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_6/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2-16 % OUR ESTIMATE</b>			
2.7±0.6	ADAMCZEW...	20	DPWA Multichannel
14 ±2	<sup>11</sup> HUNT	19	DPWA Multichannel

<sup>11</sup>Statistical error only.

### $\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_7/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;1 % OUR ESTIMATE</b>			
0.5±0.5	ADAMCZEW...	20	DPWA Multichannel
<0.3	<sup>12</sup> HUNT	19	DPWA Multichannel

<sup>12</sup>Statistical error only.

### $\Gamma(N\sigma)/\Gamma_{\text{total}}$

$\Gamma_8/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2-10 % OUR ESTIMATE</b>			
<1	<sup>13</sup> HUNT	19	DPWA Multichannel
6 ±4	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1.5±0.5	<sup>13</sup> SHRESTHA	12A	DPWA Multichannel
2 ±1	VRANA	00	DPWA Multichannel

<sup>13</sup>Statistical error only.

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$					$\Gamma_9/\Gamma$
VALUE (%)		DOCUMENT ID	TECN	COMMENT	
<b>5-12 % OUR ESTIMATE</b>					
< 0.01		<sup>14</sup> HUNT	19	DPWA	Multichannel
12 ± 8		SOKHOYAN	15A	DPWA	Multichannel
8 ± 2		<sup>14</sup> STAROSTIN	03		$\pi^- p \rightarrow n 3\pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 1		<sup>14</sup> SHRESTHA	12A	DPWA	Multichannel
10 ± 9		VRANA	00	DPWA	Multichannel
<sup>14</sup> This value is an estimate made using simplest assumptions.					

## **$N(1535)$ PHOTON DECAY AMPLITUDES AT THE POLE**

### **$N(1535) \rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$**

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
$0.093 \pm 0.009$	$8 \pm 4$	ANISOVICH	17D	DPWA Multichannel
$0.050 \pm 0.004$	$-14^{+12}_{-10}$	<sup>15</sup> ROENCHEN	14	DPWA
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.114 \pm 0.008$	$10 \pm 5$	ANISOVICH	15A	DPWA Multichannel
0.106	5.2	ROENCHEN	15A	DPWA Multichannel
$0.114 \pm 0.008$	$10 \pm 5$	SOKHOYAN	15A	DPWA Multichannel
<sup>15</sup> T-Matrix amplitude				

### **$N(1535) \rightarrow n\gamma$ , helicity-1/2 amplitude $A_{1/2}$**

MODULUS ( $\text{GeV}^{-1/2}$ )	PHASE ( $^\circ$ )	DOCUMENT ID	TECN	COMMENT
<b><math>-0.088 \pm 0.004</math></b>	<b><math>5 \pm 4</math></b>	ANISOVICH	17D	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$-0.095 \pm 0.006$	$8 \pm 5$	ANISOVICH	15A	DPWA Multichannel

## **$N(1535)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES**

### **$N(1535) \rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$**

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.090 to 0.120 (<math>\approx 0.105</math>) OUR ESTIMATE</b>			
$0.107 \pm 0.003$	<sup>16</sup> HUNT	19	DPWA Multichannel
$0.101 \pm 0.007$	SOKHOYAN	15A	DPWA Multichannel
$0.091 \pm 0.004$	<sup>16</sup> SHKLYAR	13	DPWA Multichannel
$0.128 \pm 0.004$	<sup>16</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
$0.091 \pm 0.002$	<sup>16</sup> DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$0.105 \pm 0.010$	ANISOVICH	12A	DPWA Multichannel
$0.059 \pm 0.003$	<sup>16</sup> SHRESTHA	12A	DPWA Multichannel
0.066	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.090	PENNER	02D	DPWA Multichannel
<sup>16</sup> Statistical error only.			

**$N(1535) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
<b>–0.095 to –0.055 (<math>\approx</math> –0.075) OUR ESTIMATE</b>			
–0.055 $\pm$ 0.006	<sup>17</sup> HUNT	19	DPWA Multichannel
–0.093 $\pm$ 0.011	ANISOVICH	13B	DPWA Multichannel
–0.058 $\pm$ 0.006	<sup>17</sup> CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
–0.049 $\pm$ 0.003	<sup>17</sup> SHRESTHA	12A	DPWA Multichannel
–0.051	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
–0.024	PENNER	02D	DPWA Multichannel
<sup>17</sup> Statistical error only.			

 **$N(1535) \rightarrow N\gamma$ , ratio  $A_{1/2}^n/A_{1/2}^p$** 

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN
–0.84 $\pm$ 0.15	MUKHOPAD... 95B	IPWA

 **$N(1535)$  REFERENCES**For early references, see Physics Letters **111B** 1 (1982).

ADAMCZEW... 20	PR C102 024001	J. Adamczewski-Musch <i>et al.</i>	(HADES Collab.)
AFZAL 20	PRL 125 152002	F. Afzal <i>et al.</i>	(CBELSA/TAPS Collab.)
MUELLER 20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT 19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH 17D	PR C95 035211	A.V. Anisovich <i>et al.</i>	
KASHEVAROV 17	PRL 118 212001	V.L. Kashevarov <i>et al.</i>	(A2/MAMI Collab.)
ANISOVICH 15A	EPJ A51 72	A.V. Anisovich <i>et al.</i>	
ROENCHEN 15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN 15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG 14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN 14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also	EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC 14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH 13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR 13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH 12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN 12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA 12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN 12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC 10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
AZNAURYAN 09	PR C80 055203	I.G. Aznauryan <i>et al.</i>	(JLab CLAS Collab.)
DRECHSEL 07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER 07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT 06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
ARNDT 04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
STAROSTIN 03	PR C67 068201	A. Starostin <i>et al.</i>	(BNL Crystal Ball Collab.)
PENNER 02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER 02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
BAI 01B	PL B510 75	J.Z. Bai <i>et al.</i>	(BES Collab.)
THOMPSON 01	PRL 86 1702	R. Thompson <i>et al.</i>	(JLab CLAS Collab.)
VRANA 00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
ARMSTRONG 99B	PR D60 052004	C.S. Armstrong <i>et al.</i>	
MUKHOPAD... 95B	PL B364 1	N.C. Mukhopadhyay, J.F. Zhang, M. Benmerrouche	
HOEHLER 93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY 80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also	PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER 79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also	Toronto Conf. 3	R. Koch	(KARLT) IJP